ACMIL 2 Mbps Attaignment Relay Interface Unit 2 Mbissee Packet Interface 2 Mbissee	Acronym	Meaning
MPII 2 Mbitissée Packet Interface 2MRIU old name for 2 Mbp's Management Relay Interface Unit 2NIU Fastpace Network Interface Unit (combination of ALC, AAI and PPAU) (AGL Fourth Generation Language (Ingres) 802.2 LLC 802.3 Eithernet 802.4 Token Bus 802.5 Token Ring 802.6 DODB IEEE Standard (Fastpac core network) 802.7 Slotted Bus 802.6 Application Access Interface AAI Application Attachment Interface AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMSW Accounting & Billing Management Server AC Access Cluster ASSE Association Control Service Element ADTI Application Development Trial AE Application Entity ALC Access Link Concentrator ALC Access Link Concentrator ALC Access Link Concentrator AMS Alarm Management System Operation System AMS DWS Alarm Management System Operation System AMS UWS Alarm Management System Operation System AMS UWS Alarm Management System Operation System AMS UWS Alarm Management System Operation System AMS ON Alarm Management System Operation System AMS AIP Address Resolution Protocol APP Application Programming Interface APPS AII Products Mainteenence System ARP Address Resolution Protocol ARPA Address Resolution Protocol ARPA Address Resolution Operator ANS AN Abstract Syntax Notation Ope ARPA Address Resolution Operator ANS Alarm Management System Unix WorkStation ANS ANA Abstract Syntax Notation Ope ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.37 AVA Attribute value Assertion BER Bill Terror Ratio BOOTE Protocol To allow diskless units to download image from network BOP Bill Operator Development Control Cluster CAPPS Control of Control of Cluster CAPPS Control of Control of Cluster COCC Customer Control Cluster COCC Customer Control Cluster COCC Control of Control of Cluster COCC Control of Control of Cluster COCC Control of Control of Cluster	2CIU	2 Mbp/s CIU
2MRIU old name for 2 Mbp/s Management Relay Interface Unit 2NIU Fastpace Network Interface Unit (combination of ALC, AAI and PPAU) 2RMIU Old name for 2 MBU 4GI Fourth Generation I anguage (Ingres) 802.4 Token Bus 802.5 Token Ring 802.6 DODBI BEEL Standard (Fastpac core network) 802.7 Slotted Bus AAI Application Access Interface ABI Accounting & Billing Management System ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ACK Access Cluster ACK Access Inc Concentrator ALC Access Inc Concentrator ALC Access Inc Concentrator ALC Access Inc Concentrator AMS OS Alarm Management System - DOS WorkStation AMS DWS Alarm Management System - DOS WorkStation AMS TWS Alarm Management System - Operation System APPS All Products Maintenence System APPS All Products	2CMIU	2 Mbps Management Relay Interface Unit
Past Fastpace Network Interface Unit (combination of ALC, AAI and PPAU)	2MPI	2 Mbits/sec Packet Interface
AGL Fourth Generation Language (Ingres) 802.2 LLC 802.3 Ethernet 802.4 Token Bus 802.5 Token Bus 802.6 DQDB IEEE Standard (Fastpac core network) 802.7 Slotted Bus AAI Application Access Interface AAI Application Access Interface ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ABMS Accounting & Billing Management Server AC Access Cluster ACSE Association Control Service Element ADDT Application Development Trial AE Application Entity ALC Access Linc Concentrator AMS ON Alarm Management System - DOS WorkStation AMS ON Alarm Management System - Dors WorkStation AMS ON Alarm Management System - Dors WorkStation AMS UWS Alarm Management System - Dors WorkStation AND IVE Application Programming Interface APPIS All Products Maintenence System APPS All Products Provisioning System APPS All Products Provisioning System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA Control Billing System CABS Corporate Account Billing System CABS Corpo	2MRIU	old name for 2 Mbp/s Management Relay Interface Unit
4G1 Fourth Generation Language (Ingres) 802.2 LLC 802.4 Token Bus 802.5 Token Ring 802.6 DQDB IEEE Standard (Fastpac core network) 802.7 Slotted Bus 802.7 Slotted Bus AAI Application Access Interface AAI Application Attachment Interface AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ACSE Association Control Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALS Alarm Management System DOS WorkStation AMIS ON Alarm Management System Operation System AMIS UWS Alarm Management System - Operation System AMIS UWS Alarm Management System - Operation System ANI UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Provisioning System APPS All Products Maintenance System APPS All Products Maintenance System APPS All Products Maintenance System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BCC Customer Account Billing System CAPE Customer Access Front End CAP Customer Access Front End CAP Corporate Account Billing System CAPE Customer Access Front End CAP Customer Interface Unit Customer Access Front End CMISD Common Management Information Pr	2NIU	Fastpac2 Network Interface Unit (combination of ALC, AAI and PPAU)
802.2 Ethernet 802.3 Ethernet 802.4 Token Bus 802.5 Token Ring 802.6 DQDB IEEE Standard (Fastpac core network) 802.7 Slotted Bus AAI Application Access Interface AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ABMS Accounting & Billing Management Server AC AC Access Cluster ACSE Association Control Service Element ADMS ADMS ADMS ADMS ADMS ADMS ADMS ADMS	2RMIU	Old name for 2MRIU
802.3 Ethernet 802.4 Token Bus 802.5 Token Ring 802.5 DODB IEEE Standard (Fastpac core network) 802.7 Slotted Bus AAI Application Access Interface AAI Application Attachment Interface AAI Application Attachment Interface AAI Application Attachment Interface AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMSV Accounting & Billing Management System ACSE Association Control Service Element ADMS ADMS APPLICATION Application Development Trial AE Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System - DOS WorkStation AMS DWS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AMS OS Alarm Management System - Unix WorkStation AMS OS Alarm Management System - Unix WorkStation APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Alstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.37 AVA Attribute value Assertion BCD Binary Coded Decimal BER Bil Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bil Oriented Protocol BSL Bus Specific Layer CABS Customer Account Billing System CAFE Customer Account Billing System CAFE Customer Account Billing System CAFE Customer Account Cluster CCC Customer Connect Cluster CCC Customer Conn	4GL	Fourth Generation Language (Ingres)
802.4 Token Bus 802.5 Token Ring 802.6 DQDB IEEE Standard (Fastpac core network) 802.7 Slotted Bus AAI Application Access Interface AAI Application Access Interface AAI Application Access Interface ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ACSE Association Control Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Link Concentrator AMS Alarm Management System - DOS Work-Station AMS OS Alarm Management System - DOS Work-Station AMS OS Alarm Management System - Operation System AMS UNS Alarm Management System - Operation System AMS UNS Alarm Management System - Operation System ANS UNS Alarm Management System - Operation System APP Application Programming Interface APP Application Programming Interface APP Address Resolution Protocol ARP Address Resolution Protocol ARP ASSOCIATION ASS	802.2	LLC
802.5 Token Ring 802.6 DQDB IEEE Standard (Fastpac core network) 802.7 Slotted Bus AAI Application Access Interface AAI Application Attachment Interface AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMS' Accounting & Billing Management System ABMS' Accounting & Billing Management Server AC Access Cluster ACE Association Control Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS DWS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AMT C Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Maintenence System APPS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA Sec Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X31.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Griented Protocol BSL Bus Specific Layer CABS Customer Account Billing System CABS Customer Access Front End CAN Customer Information Protocol CFGG-B CCFG for Bus B CFG	802.3	Ethernet
802.6 DQDB IEEE Standard (Fastpac core network) 802.7 Slotted Bus AAI Application Access Interface AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ACSE Association Control Service Element ADT Application Development Trial AE Application Entity ALC Access Link Concentrator ALC Access Link Concentrator ALC Access Link Concentrator AMS Alarm Management System AMS DWS Alarm Management System - OPS WorkStation AMS DWS Alarm Management System - OP System AMS UWS Alarm Management System - Unix WorkStation AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APPS All Products Maritemence System APPS All Products Provisioning System APPS All Products Provisioning System ARPA	802.4	Token Bus
802.7 Slotted Bus AAI Application Access Interface AAI Application Atachment Interface ABMS Accounting & Billing Management System ABMSV Accounting & Billing Management System AC Access Cluster ACSE Association Control Service Element ADMS ADMS ADMS Application Development Trial AE Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System AMS WA Alarm Management System - DOS WorkStation AMS UNS Alarm Management System - Operation System AMS UNS Alarm Management System - Unix WorkStation AMI UNS Alarm Management System - Unix WorkStation AMI UNS Alarm Management System - Unix WorkStation APPI Application Programming Interface APMS All Products Maintenence System APPS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN A bastract Syntax Notation ASN.1 Abstract Syntax Notation ASN.1 Abstract Syntax Notation ASN.1 Abstract Syntax Notation BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Customer Account Billing System CABS Customer Account Billing System CABS Customer Access Front End CAN CUSTOMER ACCESS Front	802.5	Token Ring
AAI Application Access Interface AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMSv Accounting & Billing Management Server AC Access Cluster ACSE Association Control Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Link Concentrator AMS OS Alarm Management System - ODS WorkStation AMS OS Alarm Management System - Operation System AMS UNS Alarm Management System - Operation System AMS UNS Alarm Management System - Operation System APPS All Products Provisioning Interface APPI Application Programming Interface APPS All Products Maintenance System APPS All Products Maintenance System ARP Address Resolution Protocol ASN. Abstract Syntax Notation One ASN.1 Abstract Syntax Notation One ASN.1 Abstract Syntax Notation One ASN.1 Abstract Syntax Notation One BER BIT Error Ratio BOOTP Protocol to allow diskless units to download image from network BER BIT Fror Ratio BOOTP Protocol to allow diskless units to download image from network BOP BIT Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Coustomer Access Front End CAN Customer Access Network CCC Customer Access Network CCC Customer Control Cluster CCC Common Management Information Service CMIS Common Management Information Service CMIS Common Management Information Service	802.6	DQDB IEEE Standard (Fastpac core network)
AAI Application Attachment Interface ABMS Accounting & Billing Management System ABMS Accounting & Billing Management System ACSE Association Control Service Element ADMS ADMS ADDT Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Operation System ANS UWS Alarm Management System - Operation System API Application Programming Interface APMS All Products Maintenence System APP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BISL Bus Specific Layer CABS Customer Access Front End CAN Customer Access Front End CAN Customer Access Front End CCC Customer Control Cluster CCC Custome	802.7	Slotted Bus
ABMS Accounting & Billing Management System ABMSV Accounting & Billing Management Server AC Access Cluster ACSE Association Control Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System - DOS WorkStation AMS DWS Alarm Management System - Operation System AMS DWS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Operation System AMS UWS Alarm Management System - Operation System APP Application Programming Interface API Application Programming Interface API Application Products Maintenence System APPS All Products Provisioning System APPS Asc Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER BIE Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Customer Access Iron End CAN Customer Access Network CCC Customer Access Network CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus B CFRB CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac? Customer Interface Unit CMIP Common Management Information Service CMIS Common Management Information Service CMIS Common Management Information Service CMIS Common Management Information Service	AAI	Application Access Interface
ABMSV Accounting & Billing Management Server AC Access Cluster ACSE Association Control Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Link Concentrator ALC Access Link Concentrator ALC Access Link Concentrator ALC Access Link Concentrator AMS WA Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Dos WorkStation AMS OS Alarm Management System - Unix WorkStation AMS UWS Alarm Management System - Unix WorkStation AMS UWS Alarm Management System - Unix WorkStation AMI UNIX Alarm Management System - Unix WorkStation AMI UNIX Alarm Management System - Unix WorkStation AMI UNIX Alarm Management System - Unix WorkStation AMI Products Maintenence System API Application Programming Interface APMS All Products Provisioning System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCGG-B CCFG for Bus A CCFGG-B CCFG for Bus B CCFMB COmmon Management Information Service	AAI	Application Attachment Interface
ACC Access Cluster ACSE Association Control Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN. Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binay Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Access Front End CAN Customer Access Front End CAN Customer Access Network CCC Customer Control Cluster CCC Customer Interface Unit CIU Fastpac2 Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Service Definition	ABMS	Accounting & Billing Management System
ACSE ASSOCIATION CONTROL Service Element ADMS ADT Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System AMS DWS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - DOS WorkStation AMS UWS Alarm Management System - Dos WorkStation AMS UWS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface API Application Programming Interface APPS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribut value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CAFE Customer Access Front End CAN Customer Access Front End CAN Customer Access Network CCC Customer Control Cluster CCC Customer Interface Unit CIU Fastpac2 Customer Information Protocol CMIS Common Management Information Service Definition	ABMSv	Accounting & Billing Management Server
ADMS ADT Application Development Trial AE Application Entity ALC Access Link Concentrator ALC Access Link Concentrator ALC Access Link Concentrator AMS Alarm Management System AMS WS Alarm Management System - ODS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Customer Access Front End CAN Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Connect Cluster CCC Customer Connect Cluster CCC Customer Control Cluster CCC Customer Connect Cluster CCC Customer Control Cluster CCC Customer Interface Unit CIU Estapac Customer Interface Unit CIU Customer Interface Unit CMIP Common Management Information Service Definition	AC	
ADT Application Development Trial AE Application Entity ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Line Concentrator AMS Alarm Management System - DOS WorkStation AMS Alarm Management System - Dos WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APIS All Products Maintenence System APPS All Products Maintenence System APPS All Products Maintenence System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Customer Acceount Billing System CABS Customer Acceount Billing System CAFE Customer Acceount Billing System CAFE Customer Acceount Billing System CCC Customer Connect Cluster CCC Customer Connect Cluster CCC Customer Control Cluster CCC Customer Interface Unit CIU Fastpac Zustomer Interface Unit CIU Customer Interface Unit CMIP Common Management Information Service Definition	ACSE	Association Control Service Element
AE Application Entity ALC Access Link Concentrator ALC Access Link Concentrator ALC Access Link Concentrator AMS Alarm Management System AMS DWS Alarm Management System - DOS WorkStation AMS DWS Alarm Management System - Operation System AMS DWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Connect Cluster CCCG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFGG-B CCFG Grown Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service	ADMS	
AE Application Entity ALC Access Link Concentrator ALC Access Link Concentrator ALC Access Link Concentrator AMS Alarm Management System AMS DWS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Access Front End CAN Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCCC Customer Connect Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpace Customer Interface Unit CMIP Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service	ADT	Application Development Trial
ALC Access Line Concentrator ALC Access Line Concentrator ALC Access Link Concentrator AMS Alarm Management System AMS DWS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE CASS Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCFG COC Customer Connect Cluster CCFG COC Customer Connect Cluster CCFG COC Customer Control Cluster CCFG COC Customer Control Custer CCFG COC CUstomer Connect Inferface Unit CIU Fastpace Customer Inferface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	AE	
AMS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CAFE Customer Account Billing System CCCC Customer Connect Cluster CCCC Customer Connect Cluster CCCC Customer Connect Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus B CFGB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service Definition	ALC	Access Line Concentrator
AMS DWS Alarm Management System - DOS WorkStation AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CAFE Customer Access Front End CAN Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus A CCFGB CORD CTRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service Definition	ALC	Access Link Concentrator
AMS OS Alarm Management System - Operation System AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC CUstomer Connect Cluster CCCC Customer Control Cluster CCFG COCG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CCFRB CI COMMunications Infrastructure CIU Customer Interface Unit CIIU Fastpac2 Customer Interface Unit CMIP Common Management Information Service CMISD Common Management Information Service Definition	AMS	Alarm Management System
AMS UWS Alarm Management System - Unix WorkStation AOTC Australian and Overseas Telecommunications Corporation API Application Programming Interface APMS All Products Maintenence System ARPS All Products Provisioning System ARP Address Resolution Protocol ARRA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation One ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Account Billing System CAFE Customer Account Billing System CACAN Customer Access Network CCC Customer Connect Cluster CCC Customer Connect Cluster CCC Customer Confrol Cluster CCG Customer Control and Frame Generator CFGG-A CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service	AMS DWS	Alarm Management System - DOS WorkStation
AOTC API API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System ARP ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CAFE CAFE Customer Account Billing System CAFE CASO Customer Account Billing System CAFE CCC Customer Connect Cluster CCC Customer Connect Cluster CCG CCG Customer Connect Cluster CCGG CFGG-A CCFG for Bus A CCFGG-B CCFG Configuration Control and Frame Generator CFGG-B CCFG CFG CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Service CMISD Common Management Information Service Definition	AMS OS	Alarm Management System - Operation System
API Application Programming Interface APMS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Connect Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service Definition	AMS UWS	Alarm Management System - Unix WorkStation
APMS All Products Maintenence System APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CAFE Customer Access Front End CAN Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCCC Customer Control Cluster CCCG Customer Control Cluster CCCG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service Definition	AOTC	Australian and Overseas Telecommunications Corporation
APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Control Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFTRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	API	Application Programming Interface
APPS All Products Provisioning System ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Control Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFTRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	APMS	
ARP Address Resolution Protocol ARPA See Defence Advanced Research Project Agency ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CAFE Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFGB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service	APPS	
ASN Abstract Syntax Notation ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	ARP	
ASN.1 Abstract Syntax Notation One ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Connect Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	ARPA	See Defence Advanced Research Project Agency
ATM Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3? AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	ASN	Abstract Syntax Notation
AVA Attribute value Assertion BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	ASN.1	Abstract Syntax Notation One
BCD Binary Coded Decimal BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service	ATM	Asynchronous Transfer Mode (a switched multiplexed service) ANSI X3T.3?
BER Bit Error Ratio BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service Definition	AVA	Attribute value Assertion
BOOTP Protocol to allow diskless units to download image from network BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition	BCD	Binary Coded Decimal
BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCCG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service Definition	BER	
BOP Bit Oriented Protocol BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCCG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service CMISD Common Management Information Service Definition		Protocol to allow diskless units to download image from network
BSL Bus Specific Layer CABS Corporate Account Billing System CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		
CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		Bus Specific Layer
CABS Customer Account Billing System CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition	CABS	
CAFE Customer Access Front End CAN Customer Access Network CCC Customer Connect Cluster CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		
CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Service CMISO Common Management Information Service CMISD Common Management Information Service Definition	CAFE	
CCC Customer Control Cluster CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition	CAN	Customer Access Network
CCFG Configuration Control and Frame Generator CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition	CCC	Customer Connect Cluster
CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition	CCC	Customer Control Cluster
CFGG-A CCFG for Bus A CFGG-B CCFG for Bus B CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition	CCFG	Configuration Control and Frame Generator
CFGG-B CCFG for Bus B CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		
CFRB CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		CCFG for Bus B
CI Communications Infrastructure CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		
CIU Customer Interface Unit CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		Communications Infrastructure
CIU Fastpac2 Customer Interface Unit CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		
CMIP Common Management Information Protocol CMIS Common Management Information Service CMISD Common Management Information Service Definition		
CMIS Common Management Information Service CMISD Common Management Information Service Definition		
CMISD Common Management Information Service Definition		
CMISP Common Management Information Service Protocol		<u> </u>

Acronym	Meaning
CMOS	Complimentary Metal Oxide Semiconductor
СМОТ	CMIS/CMIP over TCP
CMP	Cluster Management Processor
CND	HP Colorado Networks Division
CNIU	Customer Network Interface Unit
CNM	Customer Network Management
CNSC	Customer Network Service Centre
СР	Computer Protocol
CPE	Customer Premises Equipment
CPIP	?
CPNX	Computer Protocol's Network Executive
CPOS	Computer Protocol Operating System
CRC	Cyclic Redundancy Check
CSMA/CD	Carrier Sense Multiple Access/Collision Detection
CUA	Common User Access
CUG	Closed User Group
CVA	Customer ?? (service ordering?)
CiTR	Centre for Information Technology Research
DARPA	Defence Advanced Projects Research Agency
DBMS	Data Base Management System
DCE	Data Communications Equipment
DCE	OSF Distributed Computing Environemt
DEC	Digital Equipment Corporation
DISC	·
DME	OSF Distributed Management Environment
DMI DMPDU	Definition of Management Information Derived MAC Protocol Data Unit
DMS	
DNIS	(OpenView) Data Management Services Distinguished Name
DPLO	Design Plant Layout
DQDB	Distributed Queue Dual Bus
DTE	Data Terminal Equipment
E1	European 2 Mbps standard
E.164	CCITT addressing system used for ISDN. (refer to CP provided specification)
EC	Equipment Code
ECC	Equipment Configuration Code
EDI	Electronic Business Data Interchange
EMS	Openview Event Management System
ER	Early Release
ESE	Event Service Element
ESM	Event Sieve Manager
ESP	Event Service Protocol
ESPs	Event Service Process
ESQL	Embedded SQL (Ingres)
EXU	Extension Unit
F10	FASTPAC 10
F2	FASTPAC 2
F2MSa	FASTPAC 2 Management System (?)
F2MSy	FASTPAC 2 Management System
FA	OSI/Network Management Forum Architecture
FACS	Frame and Cabling System
FAMS	FASTPAC Alarm Management System
FASTPAC2	2 Megabit Fastpac service
FC	Frame Control
FCMS FCS	Fastpac Customer Management System Frame Check Sum
FDDI	Frame Check Sum Fibre Distributed Data Interface
FDD1 FDN	Fibre Distributed Data Interface Full Distinguished Name
FEP	Full Distinguished Name Front End Processor
FFB	Fastpac Filtered Bridge
FICS	Fastpac Internediate Charging System
FIO	?
FMACS	Fastpac Materials and Configuration System
117111CO	1 asspace statestand and Configuration Dystem

Acronym	Meaning
FMS	FPSN Management System
FMS	FastPac Management System
FMS	Fault Management System
FMSv	FastPac Management Server
FNMC	Fastpac Network Management Centre
FNN	Full National Number (a unique identifier)
FNR	Fixed Next Release
FPAS	Fastpac Performance and Analysis System
FPLP	FastPac Packet Level Protocol
FPMS	Fastpac Performance Management System
FPPLP	FastPac Packet Level Protocol
FPS	OSI/Network Management Forum Protocol Specification
FPSN	Fastpac Services Network
G.704	A Time Division Multiplexing standard (CCITT)
GA	General Availability
GDMO	Global Definition of Managed Objects
GDS	?(A CAD product "General Drafting System")
GIM	G.704 Inperface Module
GNM	Generic Node Manager
GUI	Graphical User Interface
HAM	Host Access Module
HDLC	High Level Data Link Control
НОВ	Head of Bus (see DQDB -> HOBA, HOBB)
HP	Hewlett Packard
HPA	Hewlett Packard Australia
HPNMA	Hewlett Packard Network Management Architecture
HPUX	HP Unix
ICAMS	Inventry Control and Management System
ICD	Interface Control Document
ICF	InterConnect Manager
ICMP	Internet Control Management Protocol
IEN	Inter Exchange Network
IETF	Internet Engineering Task Force
IFIP	International Federation of Information Processors
IMPDU	802.6 MAN Initial MAC Protocol Data Unit
INMS	Integrated Network Management System
IP	Internet Protocol
IPC	Interprocess communication facility
IRSL	Inter Router Serial Link
ISO	International Standards Organization
ITG	?
LAM	Link Access Management
LAN	Local Area Network
LAN3	Ethernet (lan bridge)
LAN5	Token Ring
LANIC	Lan Interface Card
LAPB	Link Access Protocol Mode? B
LAPB	A link layer protocol designed for X.25 services
LBU	LAN Bridge Unit
LCD	Liquid Crystal Display
LIC	LAN Bridge Interface Card
LIC	Line Interface Card
LLC	Logical link Control (802.2)
LPP	Lightweight Presentation Protocol
LRD	Link Route Details
LRF	Local Registration File
MAC	Media Access Control
MAC	Medium Access Control
MAM	9
MAN	Metropolitan Area Network
ME	Management Entity
MF	Management Entity Management Framework
MIB	Managed Information Base

Acronym	Meaning
MIB	Management Information Base for Network MAnagement of TCP/IP-based Internets (RFC 1156)
MIFS	Maximum Information Field Size
MIM	Management Information Model
MIT	Management Information Tree
MIU	Management Interface Unit
MME	Module Managed Entity
MME	Module Management Entity
MO	Managed Objects
MOD	Managed Object Database
MRB	Management Request Broker
MSB	Most Significant Bit
MTTF	Mean Time to Failure
MTTR	Mean Time to Panule Mean Time to Repair
	A
MY	Man Year
NAM	Network Access Management
NAU	Network Addressable Unit
NCC	Network Control Cluster (Network Connect Cluster)
NEL	Network Event Logger
NIC	Network Interface Card
NIU	Network Interface Unit
NM	Network Management
NMA	Network Management Architecture
NMC	Network Management Centre
NMC	Network Management Controller
NMCS	Network Management Communications System
NMH	Network Management System Hosts
NMS	OpenView Network Management Server
NNM	OpenView Network Node Manager
NOC	Network Operation Centre
NPMG	Network Protocol Management Group
NSM	Network and Systems Management model
NU	Not Used
ocss	Operations and Customer Support Systems
OHU	Overhead Unit
OIC	Officer In Charge
OLTE	Optical Line Termination Equipment
ORS	Object Registration Service
OS	Telecom Operations Systems
OSF	Open Software Foundation
OSI	Open System Interconnect
OV	
	HP OpenView
OVc	OpenView communications
OVw	OpenView Windows
P&I	?
P/F	Poll/Final
PAD	Packet Assembler-Disassembler
PAL	Personalised Access Line
PAM	Physical Access Management
PDEU	Portable Data Entry Unit
PDN	Public Data Network
PDU	Protocol Data Unit
PID	Protocol Identifier
PLC	Programming Language C
PMS	Performance Management System
PMSv	Performance Management Server
POS	?
POS	Programmable Option Select
POSIX	Portable Operating System for Computer Environments
POST	Power On Self Test
POTS	Plain Old Telephone Service
PP	Packet Processor
PPAU	Packet Processor Access Unit
PPL	HDLC module used in the 2CIU
	Tibbe inodule doed in the 2010

Acronym	Meaning
PRTA	High Performance Router
PT/EMS	Problem Tracking and Event Management System
QPSX	(The company supplying the base technology for Fastpac 10)
RASS	Record Access for Special Services
RASS-M	RASS maintenance
RASS-P	RASS provisioning
RDN	Relative Distinguished Name
RFC	Request For Comment
RFC1085	ISO Presentation Services on top of TCP/IP based internets
RFC1095	CMOT
RFC1095	Common Management Information Services and Protocol over TCP/IP (CMOT)
RFC1098	SNMP
RFC1155	Structure and Identification of Management Information for TCP/IP
RFC1156	Management Information Base for Network Management of TCP/IP
RFC1157	Simple Network Management Protocol (SNMP).
RFC1212	Concise MIB Definitions.
RFC1213	Management Information Base Definitions (MIB).
RFC1232	Managed Objects for the DS1 (G704) Interface.
RFC768	User Datagram Protocol (UDP).
RFC783	Trivial File Transfer Protocol (TFTP).
RFC791	Internet Protocol (IP).
RFC792	Internet Control Message Protocol (ICMP).
RFC793	Transmission Control Protocol (TCP).
RFC826	Address Resolution Protocol (ARP).
RFC951	Bootstrap Protocol (BOOTP).
ROSE	Remote Operation Service Element
RPC	Remote Procedure Call
RTAP	Real Time Applications Platform
RTAU	Routing Access Unit
RTV	Run Time Value
SABME	Set Asynchronous Balanced Mode Extended
SAI	System Administration Interface for Computer Operating System Environments (Posix 1003.7) System Administration Manager
SAM SAP	System Administration Manager Service Access Point
SAS	(Software) System Architecture Specification
SCADA	Supervisory Control and Data Acquisition
SDH	Synchronous Digital Hierarchy
SDLC	Synchronous Data Link Control
SDU	HP Software Distribution Utility
SDU	Service Data Unit
SEEQ	This CPNX software module implements the MAC sublayer protocol on a Synergy board in a 2MIU
SIMI	Structure and Identification of Management Information for TCP/IP-based Internets (RFC 1155)
SMDS	Switched Multi-Megabit Data Service (AT&T 802.6 implementation)
SMFA	Specific Management Functional Area
SMI	Structure of Management Information
SMO	Systems Management Overview
SMP	System Management Protocol
SNAP	Sub-Network Access Protocol
SNAP	Subnetwork Access Point
SNI	Subscriber Network Interface
SNIC	CPNX software module that implements the MAC sublayer protocol
SNMP	Simple Network Management Protocol (RFC 1157)
SNO	Singapore Network Operations
SQL	Structured Query Language
SRS	System Requirements Specification
STP	Shielded Twisted Pair
SWC	Switching Centre
TBD	To Be Determined
TBO	Telecom Business Office
TCP/IP	Tracsport Connect Protocol/Internet Protocol (RFC 793)
TDM	Time Division Multiplexing
TEPTS	Terminal Equipment and Protocols for Telematic Services
TFTP	Trivial File Transfer Protocol (RFC783 (Rev 2))

Acronym	Meaning
TIE	Telecom Integrated Environment
TLA	Three Letter Acronym
TMN	Telecom Management Network
TMN/DCN	Telecom Management System Data Collection Network
TP	Transaction Processing
TQM	Total Quality Management
TRACS	Trunk and Cabling System
TS	Transport Service
TSAP	?
TUSC	? (A company specialising in SCADA)
UDP	User Datagram Protocol (RFC768)
UDP/IP	User Datagram Protocol/Internet Protocol
UI	Unnumbered Information
UI	User Interface
UID	User Identifier (Unix)
UIRS	User Interface Requirements Specification
UPS	Uninterruptable Power Supply
UTP	Unshielded Twisted Pair
VAX	Virtual Address eXtension
VPE	Virtual Processing Environemt (intelligent fron-end system)
VTSM	Virtual Terminal Session Manager
WAN	Wide Area Network
X.25	Interface between computer and a packet switching network
X.28	Asynchronous DTE interface
X.29	PAD to packet mode DTE protocol
X.400	API to Electronic Mail
XDS	API to Directory Services
XID	A command frame within a protocol such as HDLC.
XMP	X/Open Management Protocols Application Program Interface
XOM	OSI-Abstract-Data Manipulation API
XPG3	X/Open Portability Guide
XRM	Systems Management Reference Model
YACC	Yet Another Compiler Compiler
morsd	
ovdmd	data manager daemon
ovdmetadatamd	OpenView Metadata daemon
ovesmd	event sieve manager daemon
ovmsd	metastruct daemon
ovsecuritydaemon	
ovspmd	process manager daemon
ovtopmd	topology manager daemon
pmd	postmaster daemon
sn3	?
snmpd	snmp agent
tmd	timer daemon
trapd	